Chicago Public Schools **Chicago Public Schools Department of Operations** 

|   |   |                | sting Building |       |
|---|---|----------------|----------------|-------|
| Type I:   | High School   |                |                |       |
| Current Enrollment  | DNA Current School Capacity   |                | DNA            |       |
| deal New Capacity*  | * Not including temporary structures or leased fa<br>1080 Utilization Range       | cilities 864 - | 1296           |       |
| Standard classrooms times 0.8, round down and th          |   |                | 3,302          |       |
| ypical Capacity Standards<br>cademic: 30 Students per cla | ssroom per published utilization standards  |                |                |       |
| equired Classrooms  |   | Number         | Students Per   |       |
|   | Typical Classrooms  | 19             | 28             | 532   |
|   | Diverse Learners LRE3*  | 2              | 13             | 26    |
|   | Diverse Learners Cluster Program<br>Diverse Learners Pullout                      | 0              | 13<br>20       | 0     |
|   | New Hardwired Computer Classrooms   | 1              | - 20 - 28 -    | 28    |
|   | New Science Classroom Suite   | 7              | - 28 -         | 196   |
|   | New Music Classroom   | 3              | - 34 -         | 102   |
|   | New Art Classroom   | 2              | 31 -           | 62    |
|   | Health  | 1              | 40             | 40    |
|   | Drivers ED  | 0              | 40             | 0     |
|   | Multi-Purpose / CTE / STEM  | 4              | 30             | 120   |
|   | Planned Capacity (including Auxiliary Classrooms)                                 | 41             | Subtotal       | 1,106 |
|   | Dance/Wrestling   | 1              | 40             | 40    |
|   | Fitness/Weight Room   | 1              | 40             | 40    |
|   | New 2 position Gymnatorium w/ Stage   | 2              | 40             | 80    |
|   |   | 45             | Total          | 1,266 |
| lew Support Spaces & Site                                 |   | Number         |                |       |
|   | New Administrative Center   | 1              |                |       |
|   | New Nurse's & Student Services Suite<br>New Library Center                        | 1              |                |       |
|   | · · · · · · · · · · · · · · · · · · ·   | 1              |                |       |
|   | New Business Office<br>New Student Dining Facilities & Kitchen (a)                | 1              |                |       |
| lotes: (a) Max utilizat                                   | ion range will reqire 4 lunch periods   |                |                |       |
|   | for recommended class size, comment from E. Klunk & state max. for Diverse Learne | ers            |                |       |

New Non-Program Area48,110Total Building Area133,428Lower Level Area49,455TOTAL182,883

Date

Date

Date

Chicago Public Schools - Operations

Chicago Public Schools - Chief of Schools

Chicago Public Schools - Principal

\*This High School Program is created using the following assumptions:

- 1. There are no hardwired computers in the library
- 2. The kitchen is a cooking kitchen
- 3. There are (3) kitchen serving lines

4. A Multi-Purpose (CTE/ STEM / Makers / Media / Distance Learning Lab) is included in this program as a "place holder" to be adjusted as necessary to accommodate the specific program as directed by CPS Education.

For program space requirements that exceed the Multi-Purpose Class Space, use the appropriate category in the Additional Program Specific To School Type.

\*\*Additional spaces that are not part of the building but may be necessary to support outdoor sports program (bleachers, sports storage, concessions, press / filming box)

\*\*\*AOR to confirm strategy for establishing toilet fixture counts

New Schools - Program

## Chicago Building Code Class C-3 Type IB School South West High School Program Draft

| <u> </u> | non<br>classroom<br>antity quantity | Category  | Anticipated<br>ross Area (sf)<br>pased on test fit | Typical<br>Gross<br>Area (sf)<br>HS program | Total Program<br>Area | Maximum<br>Code<br>Capacity<br>per Space | Max Code<br>Student<br>Allowable<br>Pop. |
|----------|-------------------------------------|---|--|---|-----------------------|--|--|
| TEA      | ACHING STATION                      | S<br>Basic Classroom for Math, English, Social Studies,   |  |   |                       |  |  |
|          | <b>19</b><br>1<br>1                 | Typical 760 sf Academic Classroom (approx. 720 net sq. ft.)<br>2nd Floor Faculty Offices<br>1st Floor Faculty Offices   | 760<br>380<br>489                                  | 380   |                       | 35                                       | 665                                      |
|          | O                                   | Personalized Learning<br>Pull in Room<br>(incl anticipated added corridor space based on classroom / pull in configeratior  | 300  | 300   | 0                     | 13                                       | 0  |
|          | 2                                   | Diverse Learners<br>LRE 3 Special Needs (1 per floor) Not to exceed 17 students per classroom   | 760  | 760   | 1520                  | 35                                       | 70                                       |
|          | 2<br>2<br>0                         | Pull-out space for individual students w/ Special Needs<br>New Cluster Program  | 760<br>760   | 760   | 1520                  | 35                                       | 70                                       |
|          | 1                                   | Classrooms with Hired Wired Computer for Students<br>Computer Classroom (1 teacher & 30 student workstations)   | 1250   | 1140  | 1250                  | 58                                       | 58                                       |
|          |                                     | Science Suite   | 1110   | 1110  | 0000                  | 50                                       | 400                                      |
|          | <b>2</b>                            | Chemistry Science Classroom<br>Chemistry Prep Room with Faculty   | 1140<br>450  |   |                       | 53<br>20                                 | 106<br>0                                 |
|          | 2                                   | Biology Science Classroom   | 1140   | 1140  | 2280                  | 53                                       | 106                                      |
|          | 3                                   | Biology Prep Room with Faculty<br>Physics Science Classroom   | 450<br>1182  | 350<br>1140                                 |                       | 20<br>55                                 | 0<br>165                                 |
|          | 2                                   | General Science Prep Room Music Suite   | 415  |   |                       | 18                                       |  |
|          | 1                                   | Instrumental Classroom with movable storage   | 1680   | 1875  | 1680                  | 78                                       | 78                                       |
|          | 1                                   | Faculty Office and Storage  | 940  | 849   | 940                   |  |  |
|          | 1<br>1<br>0                         | Choral Classroom<br>Music Theory Classroom<br>Practice rooms including access   | 1365<br>760<br>200                                 | 760   | 760                   | 63<br>35<br>8                            | 63<br>35                                 |
|          |                                     | 2D-3D Art Suite   |  |   |                       |  |  |
|          | 2                                   | Art Classroom with storage (classroom 999 SF)   | 935  |   | 1870                  | 43                                       | 86                                       |
|          | 1                                   | Art Kiln Room (adj to art room)<br>Faculty Offices + Storage  | 380<br>600   |   |                       | 17                                       |  |
|          | 4                                   | Un-Programed Class Space<br>Multi-Purpose Room Confirm exact program direction with CPS Education<br>(2 STEAM / STEM, Makers, Media, CTE or Distance Learning Labs requires<br>4-760 gsf classroom spaces or 1 Muti Purpose Rooms to accommodate<br>program size) | 760  | 760   | 3040                  | 35                                       | 140                                      |
|          |                                     | Physical Education  |  |   |                       | 50                                       |  |
|          | 0<br>1                              | Drivers ED<br>Health  | 1140<br>1140                                       |   |                       | 53<br>53                                 | 0<br>53                                  |
|          | 1                                   | Weight & Fitness Room (an extension of the gym area)  | 1380   | 1480  | 1380                  | 64                                       | 64                                       |
|          | 1                                   | Dance & Wrestling Room<br>Mat Storage   | 1660<br>278  |   |                       | 77                                       | 77                                       |
|          | 2                                   | New 2 Position Gymnatorium with stage   | 15462  | 13440                                       | 15462                 | 733                                      | 1466                                     |
|          | 1<br>2<br>1                         | Stage Storage<br>Cymnasium Offices (w/ locker rms and bathrooms)<br>Gymnasium Storage   | 686<br>300<br>730                                  | 300   | 600                   |  |  |
|          | 1<br>1<br>0                         | Chair Storage<br>AV Storage<br>Additional 1 Position Gym 60'x84' (or 3rd station @ main gym)  | 400<br>210<br>5040                                 | 200   | 210                   | 238                                      | 0  |
| Add      | litional Program S                  | Specific to School Type   |  |   |                       |  |  |
|          |                                     | STEM / STEAM Program  |  |   |                       |  |  |
|          | 0 0                                 | Confirm exact program direction and assoc. space needs with CPS Ed.<br>Additional Classrooms<br>Additional Labs   | 0<br>0   | 0<br>0                                      | 0<br>0                |  |  |
|          |                                     | CTE Program   |  |   |                       |  |  |
|          | 0                                   | Confirm exact program direction and assoc. space needs with CPS Ed.<br>Additional Classrooms  | 0  | -   | -                     |  |  |
|          | U                                   | Additional Labs Classical Program   | 0  | 0   | 0                     |  |  |
|          | 0 0                                 | Confirm exact program direction and assoc. space needs with CPS Ed.<br>Additional Classrooms<br>Additional Labs   | 0<br>0   | 0<br>0                                      | 0<br>0                |  |  |
|          |                                     | Magnet Program<br>Confirm exact program direction and assoc. space needs with CPS Ed.   |  |   |                       |  |  |
|          | 0 0                                 | Additional Classrooms<br>Additional Labs  | 0<br>0   |   | 0<br>0                |  |  |
|          | 0                                   | JROTC Program<br>JROTC Classroom  | 760  | 760   | 0                     |  |  |
|          | 0                                   | JROTC Administration Office<br>JROTC Supply Storage   | 200<br>600   | 200   | 0                     |  |  |
| 1 1      | 1                                   |   |  |   |                       |  |  |

Prototype High School Program

|         | 45          | TOTAL   |           |      | 62,616     | 3,302 |
|---------|-------------|---|-----------|------|------------|-------|
|         | MINISTRATIC |   |           |      | 02,010     | 0,002 |
|         |             | 1 Administration Reception                                    | 250       | 250  | 250        |       |
|         |             | 1 School Business Office (3 clerical workstations)            | 225       | 225  | 250<br>225 |       |
|         |             | 1 Conference Room   | 300       | 300  | 300        |       |
|         |             | 1 School Vault / Workroom                                     | 200       | 200  | 200        |       |
|         |             | 1 Faculty Mailboxes   | 100       | 100  | 100        |       |
|         |             | 1 Principal's Office  | 200       | 200  | 200        |       |
|         |             | 1 Administrative remote from office                           | 150       | 150  | 150        |       |
|         |             | 1 Business Manager Office                                     | 150       | 150  | 150        |       |
|         |             | 1 Coat Storage  | 150<br>30 | 30   | 30         |       |
|         |             | 1 Pantry  | 150       | 150  | 150        |       |
|         |             | 1 Faculty Work Room (not contiguous w/ admin center)          | 270       | 270  | 270        |       |
|         |             | 1 Principal's Bathroom  | 60        | 60   | 60         |       |
|         |             | 1 Police / Security Office                                    | 300       | 300  | 300        |       |
|         |             | 1 College and Career Office                                   | 1100      | 1100 | 1100       |       |
|         |             | 1 Academic / Tutoring Center                                  | 1100      | 1100 | 1100       |       |
|         |             | TOTAL   |           |      | 4,616      |       |
| STI     |             | /ICES / NURSE'S SUITE Shared                                  |           |      | 4,010      |       |
| <u></u> |             | 4 Conselors Offices   | 100       | 100  | _          |       |
|         |             | 1 Waiting Area  | 150       | 150  | _          |       |
|         |             | 1 Conference  | 300       | 300  | -          |       |
|         |             | 1 Open Office   | 150       | 150  | -          |       |
|         |             | 1 Nurse Office  | 150       | 150  | -          |       |
|         |             | 1 Exam/Counseling Room  | 150       | 150  | -          |       |
|         |             | 1 Laundry stack   | 15        | 15   | -          |       |
|         |             | 1 Shower and Toilet   | 120       | 120  | -          |       |
|         |             | 1 Storage for Inclusion Students (not reg'd to be contiguous) | 75        | 75   | _          |       |

| I |                   | 1 Locked Storage  |  | 75 75  | il -   | I I |
|---|-------------------|---|--|--|--|-----|
|   |                   |   | TOTAL  |  | 1 420  |     |
|   | DINING CENTER / M | ULTI-PURPOSE ROOM   | IOTAL  |  | 1,430  |     |
|   |                   | 1       Student Dining Room (# Students x 15.5 sf/)         1       Cooking Kitchen         1       Servery (houses three serving lines incl salad         1       Kitchen Office         1       Kitchen Staff Toilet rooms: Men & Women / 1         1       Kitchen Staff Toilet rooms: Men & Women / 1         1       Kitchen Staff Toilet rooms: Men & Women / 1         1       Kitchen Staff Lockers         1       Recycling         1       Storage         1       Dining Storage (table storage)  | 1 bar) 12<br>Jnisex 1<br>1   | 33         4069           46         1246           15         1200           00         100           75         75           50         150           00         200           48         600                                      | i 1246<br>1215<br>100<br>75<br>150<br>100<br>200   |     |
|   |                   |   | TOTAL  |  | 7,717  |     |
|   |                   | The following spaces at a minimum are to be         Library / Multi Media Center         PE Locker Rooms         Team Locker Rooms         Unisex Locker Room         Trainer         Athletic Laundry         Concession         Ticket Office         Exterior Athletic Storage         The following spaces are recommended to b         D Lounge         Green Room   | 32<br>14<br>8<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1   | 70 2280<br>99 1400<br>25 840<br>40 120<br>76 150<br>60 150<br>60 150<br>50<br>50<br>50<br>50<br>1000   | 2998<br>1650<br>140<br>176<br>140<br>176<br>140<br>160<br>0<br>405   |     |
|   |                   | Pre Function  |  | 70 770   |  |     |
|   |                   |   |  |  |  |     |
|   |                   |   | TOTAL  |  | 8,939  |     |
|   |                   |   |  | 21   |  |     |
|   |                   | <br>  | TOTAL<br>Program To  | al   | 8,939<br>85,318  |     |
|   |                   | The following spaces at a minimum are to be<br>Elevator 1st Floor (incl elev machine Rm)<br>Elevator 2nd Floor and above (40 sf per floor<br>1st Floor Corridor with Lockers<br>12nd Floor Corridor with Lockers<br>3rd Floor Corridor with Lockers<br>5Toilet Rooms: Boys, Girls Staff/Unisex & Jan<br>4 Stairs # 1,2,3, 4<br>Fire Pump, Elect, Switchgear, Pump Room, Comed Ro<br>1MDF<br>0 IDF (as req based on facility size)<br>Building Support Mech/Electrical/Office<br>1 Mechanical ( <i>Air Handlers 2nd Level - Exterior</i><br>1 Trash/ Loading (Exterior)<br>Air Cooled Chiller (Exterior)<br>1 Yard Storage                                       | Program Tot<br>provided<br>() 121<br>106<br>62<br>itors Closet 7<br>pm, Boiler (Lower Level) 21<br>(1) 21<br>(1) 21<br>(2) 21<br>( | 40 14(<br>40 8(<br>53 697(<br>56 53<br>50 76(<br>36 54(<br>35 98(<br>35 98(<br>35 98(<br>30 54(<br>30 314(<br>30 314(<br>30 314(<br>32 152(  | 85,318<br>85,318<br>140<br>140<br>12179<br>10653<br>0<br>4560<br>1520<br>2135<br>304<br>0<br>484<br>4330<br>1392<br>2144                 |     |
|   |                   | <ul> <li>The following spaces at a minimum are to be</li> <li>Elevator 1st Floor (incl elev machine Rm)</li> <li>Elevator 2nd Floor and above (40 sf per floor</li> <li>1st Floor Corridor with Lockers</li> <li>2nd Floor Corridor with Lockers</li> <li>3rd Floor Corridor with Lockers</li> <li>Toilet Rooms: Boys, Girls Staff/Unisex &amp; Jan</li> <li>Stairs # 1,2,3, 4</li> <li>Fire Pump, Elect, Switchgear, Pump Room, Comed Ro</li> <li>MDF</li> <li>DIDF (as req based on facility size)</li> <li>Building Support Mech/Electrical/Office</li> <li>Mechanical (Air Handlers 2nd Level - Exterior)</li> <li>Air Cooled Chiller (Exterior)</li> </ul> | Program Tot           provided           t)           121           106           62           itors Closet           7           30m, Boiler (Lower Level)           21           43           12           12           12           12           13           21           32   | 40 14(<br>40 8(<br>79 10556<br>53 697(<br>36<br>50 76(<br>35 98(<br>04 40(<br>00 200(<br>84 278(<br>30 314(<br>92 152(<br>44 50(   | 85,318<br>85,318<br>140<br>140<br>12179<br>10653<br>0<br>4560<br>1520<br>2135<br>304<br>0<br>4330<br>1392<br>2144<br>380                 |     |
|   |                   | <ul> <li>The following spaces at a minimum are to be</li> <li>Elevator 1st Floor (incl elev machine Rm)</li> <li>Elevator 2nd Floor and above (40 sf per floor</li> <li>1st Floor Corridor with Lockers</li> <li>2nd Floor Corridor with Lockers</li> <li>3rd Floor Corridor with Lockers</li> <li>Toilet Rooms: Boys, Girls Staff/Unisex &amp; Jan</li> <li>Stairs # 1,2,3, 4</li> <li>Fire Pump, Elect, Switchgear, Pump Room, Comed Ro</li> <li>MDF</li> <li>DIDF (as req based on facility size)</li> <li>Building Support Mech/Electrical/Office</li> <li>Mechanical (Air Handlers 2nd Level - Exterior)</li> <li>Air Cooled Chiller (Exterior)</li> </ul> | Program Tot<br>provided<br>() 121<br>106<br>62<br>itors Closet 7<br>com, Boiler (Lower Level) 21<br>(1) 21<br>(1) 21<br>(1) 21<br>(2) 21     | 40 14(<br>40 8(<br>79 10556<br>53 697(<br>36<br>50 76(<br>35 98(<br>04 40(<br>00 200(<br>84 278(<br>30 314(<br>92 152(<br>44 50(   | 85,318<br>85,318<br>140<br>140<br>12179<br>10653<br>0<br>4560<br>1520<br>2135<br>304<br>0<br>4330<br>1392<br>2144<br>380                 |     |
|   |                   | The following spaces at a minimum are to be<br>l Elevator 1st Floor (incl elev machine Rm)<br>l Elevator 2nd Floor and above ( <i>40 sf per floor</i><br>1 st Floor Corridor with Lockers<br>0 3rd Floor Corridor with Lockers<br>0 3rd Floor Corridor with Lockers<br>6 Toilet Rooms: Boys, Girls Staff/Unisex & Jan<br>4 Stairs # 1,2,3, 4<br>1 Fire Pump, Elect, Switchgear, Pump Room, Comed Ro<br>1 MDF<br>0 IDF (as req based on facility size)<br>1 Building Support Mech/Electrical/Office<br>1 Mechanical ( <i>Air Handlers 2nd Level - Exterior</i><br>1 Trash/ Loading (Exterior)<br>1 Air Cooled Chiller (Exterior)<br>1 Yard Storage               | Program Tot<br>provided<br>() 121<br>106<br>62<br>itors Closet 7<br>5<br>om, Boiler (Lower Level) 21<br>(<br>r) 43<br>(TOTAL<br>(<br>TOTAL   | 40 14(<br>40 8(<br>79 10556<br>53 697(<br>36<br>50 76(<br>35 98(<br>04 40(<br>00 200(<br>84 278(<br>30 314(<br>92 152(<br>44 50(   | 85,318<br>140<br>140<br>12179<br>10653<br>0<br>4560<br>1520<br>2135<br>304<br>0<br>484<br>4330<br>1392<br>2144<br>380<br>38,226<br>9,884 |     |
|   |                   | The following spaces at a minimum are to be<br>l Elevator 1st Floor (incl elev machine Rm)<br>l Elevator 2nd Floor and above ( <i>40 sf per floor</i><br>1 st Floor Corridor with Lockers<br>0 3rd Floor Corridor with Lockers<br>0 3rd Floor Corridor with Lockers<br>6 Toilet Rooms: Boys, Girls Staff/Unisex & Jan<br>4 Stairs # 1,2,3, 4<br>1 Fire Pump, Elect, Switchgear, Pump Room, Comed Ro<br>1 MDF<br>0 IDF (as req based on facility size)<br>1 Building Support Mech/Electrical/Office<br>1 Mechanical ( <i>Air Handlers 2nd Level - Exterior</i><br>1 Trash/ Loading (Exterior)<br>1 Air Cooled Chiller (Exterior)<br>1 Yard Storage               | Program Tot<br>provided<br>() 121<br>106<br>62<br>itors Closet 7<br>5<br>om, Boiler (Lower Level) 21<br>(<br>r) 43<br>(TOTAL<br>(<br>TOTAL   | 40 14(<br>40 8(<br>79 1055(<br>53 697(<br>86 54)<br>50 76(<br>80 54(<br>35 98(<br>04 40(<br>00 200<br>84 278(<br>30 314(<br>92 152(<br>44 500<br>80 30(<br>93 14)<br>92 152(<br>152(<br>152(<br>152(<br>152(<br>152(<br>152(<br>152( | 85,318<br>140<br>140<br>12179<br>10653<br>0<br>4560<br>1520<br>2135<br>304<br>0<br>484<br>4330<br>1392<br>2144<br>380<br>38,226<br>9,884 |     |

AREA ALLOCATION SUMMARY Program Total Non-Program Total (Building Support) TOTAL BUILDING AREA (Basic HS)

| 66/34 NSF/GSF |   |
|---------------|---|
| 85,318        | 3 |
| 48,110        | ) |
| 133,428       | 3 |

111 111 40

Gross Square Footage Per Student (Planned Capacity) Gross Square Footage Per Student (Ideal Student Population) Gross Square Footage Per Student (Maximum Student Population)

\*Additional spaces that are not part of the building but may be necessary to support outdoor sports progam (bleachers, sports storage, concessions, press / filming box)

| Lower Level Parking |  |              |                 |  |
|---------------------|--|--------------|-----------------|--|
|                     | 1 Elevator Lower Level Floor + Vestibule                         | 519          | 519             |  |
|                     | <ul><li>3 Stairs</li><li>1 Parking Area including ramp</li></ul> | 380<br>47796 | 1140            |  |
|                     |  | TOTAL        | 47796<br>49,455 |  |