

#### **ADDENDUM**

Public Building Commission of Chicago | Richard J. Daley Center | 50 West Washington Street, Room 200 | Chicago, Illinois 60602 | (312) 744-3090 | pbcchicago.com

ADDENDUM NO.: 03

PROJECT NAME: CDOT Alleys (Various Locations) – Package 5

PROJECT NO.: 22912 thru 22918

CONTRACT NO.: C1626

DATE OF ISSUE: June 27, 2025

# NOTICE OF CHANGES, MODIFICATIONS, OR CLARIFICATIONS TO CONTRACT DOCUMENTS

The following changes, modifications, or clarifications are hereby incorporated and made an integral part of the Contract Documents. Unless clearly expressed otherwise by this Addendum, all terms and conditions defined in the original Contract Documents shall continue in full force and effect and shall have the same meaning in this Addendum. Issued Addenda represent responses/clarifications to various inquiries. Contractors shall be responsible for including all associated labor/material costs in its bid. Drawings/specifications corresponding to inquiry responses will be issued with the Issue for Construction Documents, upon issuance of building permit.

ITEM NO. 1: CHANGE TO KEY DATES

None.

ITEM NO. 2: REVISIONS TO BOOK 1 – PBC INSTRUCTIONS TO BIDDERS

Change 1 Book 1 – DELETE MASTER BID FORM and ALL SCHEDULE OF PRICES – and REPLACE

WITH REVISED MASTER BID FORM AND SCHEDULE OF PRICES hyperlinked below in this addendum. (Corrections were made to various mathematical formulas in the Master Bid Form

and revisions were made to various Alley's "Estimated Quantities").

NOTE: <u>Updated Fillable Master Bid Form</u> (Excel version) is available from the Cushing & Company's Planroom: <a href="http://dfs.cushingco.com/pbc.htm">http://dfs.cushingco.com/pbc.htm</a>, the <a href="https://pbcchicago.com/opportunities/cdotalleys-package5/">https://pbcchicago.com/opportunities/cdotalleys-package5/</a>, the hyperlink at the

bottom of this document, as well as the PBC Alert communication.

ITEM NO. 3: REVISIONS TO BOOK 2 – PBC STANDARD TERMS AND CONDITIONS

None.

ITEM NO. 4: REVISIONS TO BOOK 3 – TECHNICAL SPECIFICATIONS

None.

ITEM NO. 5: REVISIONS TO DRAWINGS

Change 1 DELETE ALL DRAWINGS FOR ALLEYS PACKAGE 5 REPLACE WITH REVISED SET -

ALLEYS – PACKAGE 5 dated June 27, 2025.

ITEM NO. 6: REQUESTS FOR INFORMATION

RFI-1.

Question: We are finding some issues with the excel spreadsheet. For Cermak, the formula for the grand total does

not capture costs after pay item 45. Also, drawings show 10" Ductile Iron Pipe but the quantity on the spreadsheet is for 8" Extra Strength Vitrified Clap Pipe. and there is no line item for 10" Ductile. The trench backfill quantity appears to be quite low as well. For Grand/Division, drawings show 222' of ESVCP and 96' on spreadsheet. For Thorndale, drawings show 293' of 12" VCP and the spreadsheet has 464'

of 8" VCP.

**Response:** See revised fillable Master Bid Form included in this Addendum No. 3.

This Addendum includes the following attached and hyperlinked Drawings and/or Documents:

- 1. BOOK 1 REVISED SCHEDULE OF PRICES 22912, 22913, 22914, 22915, 22916, 22917 and 22918 (Pages 18 31 of 60) (attached).
- 2. Updated Fillable Master Bid Form dated 6/27/2025

### This Addendum includes the following hyperlinked Drawings:

- 1. <u>REVISED Set of ALL DRAWINGS for Alleys Package 5</u> (*Available at Cushing & Company's Planroom*) and includes the following SETS of Drawings:
  - a. W. Cermak Road Project No. 22912
  - b. W. Grand Avenue/W. Division Street Project No. 22913
  - c. W. Wellington Avenue Project No. 22914
  - d. W. Grand Avenue/W. Palmer Street Project No. 22915
  - e. W. LeMoyne Street Project No. 22916
  - f. W. Thorndale Avenue Project No. 22917
  - g. W. Victoria Street Project No. 22918

**END OF ADDENDUM NO. 03** 

CHICAGO DEPARTMENT OF TRANSPORTATION ('CDOT') CAPITAL PROGRAM - ALLEYS (VARIOUS LOCATIONS) - PACKAGE 5
LOCATION: W. CERMAK RD./ W. 23RD ST./S. OAKLEY AVE./S. BELL AVE.
CDOT PROJECT NO.: #U-5-240/PBC PROJECT NO.: 22912

PBC CONTRACT: C1626

Line	Code Number	Description	Unit	Estimated Quantity	Unit Price	Cost
1	*****	EARTH EXCAVATION (SOIL TO CCDD FACILITY)	CU YD	0		\$0.00
2	******	EARTH EXCAVATION (SOIL TO LANDFILL)	CU YD	355		\$0.00
3	*****	PAVEMENT REMOVAL	SQ YD	37		\$0.00
4	*****	DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL	SQ YD	85		\$0.00
5	44000300	CURB REMOVAL	LIN FT	158		\$0.00
6	44000500	COMBINATION CURB AND GUTTER REMOVAL	LIN FT	142		\$0.00
7	44000600	SIDEWALK REMOVAL	SQ FT	997		\$0.00
8	*****	ALLEY PAVEMENT REMOVAL	SQ YD	1263		\$0.00
9	*****	GARAGE APRON REMOVAL	SQ FT	1546		\$0.00
10	*****	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	91		\$0.00
11	31101100	SUB-BASE GRANULAR MATERIAL, TYPE B	CU YD	229		\$0.00
12	20800150	TRENCH BACKFILL	CU YD	580		\$0.00
13	*****	CRUSHED STONE (TEMPORARY USE)	TON	90		\$0.00
14	35300300	PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	37		\$0.00
15	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	0		\$0.00
16	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN	SQ YD	1303		\$0.00
17	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY	SQ YD	13		\$0.00
18	*****	RETURN PAVEMENT, 8 IN HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN	SQ FT	1546		\$0.00
19	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	347		\$0.00
20	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	0		\$0.00
21	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN	SQ FT	777		\$0.00
22	*****	PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN	SQ FT	220		\$0.00
23	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN	SQ FT	0		\$0.00
24	*****	DRILL AND GROUT DOWEL AND TIE BARS	EACH	220		\$0.00
25	40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	15		\$0.00
26	*****	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)	TON	13		\$0.00
27	40604062	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	0		\$0.00
28	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)	TON	7		\$0.00
29	60600605	CONCRETE CURB, TYPE B	LIN FT	158		\$0.00
30	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND GUTTER, TYPE B-V.12	LIN FT	96		\$0.00
31	*****	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12	LIN FT	46		\$0.00
32	*****	MANHOLE, 4 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
33	*****	MANHOLE, 3 FT DIAMETER, TYPE B, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00

Line	Code Number	Description	Unit	Estimated Quantity	Unit Price	Cost
34	*****	MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
35	*****	CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)	EACH	3		\$0.00
36	*****	DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED	EACH	3		\$0.00
37	*****	VORTEX RESTRICTOR	EACH	1		\$0.00
38	*****	EXISTING SEWER TO BE REMOVED	LIN FT	165		\$0.00
39	*****	REMOVING MANHOLES	EACH	2		\$0.00
40	*****	REMOVING CATCH BASINS	EACH	0		\$0.00
41	*****	SEWER CLEANING AND TELEVISING (24 IN DIAMETER OR LESS)	LIN FT	0		\$0.00
42	*****	PULVERIZED TOPSOIL MIX	CU YD	2		\$0.00
43	*****	HYDRAULIC SEEDING, CLASS 1A	SQ YD	4		\$0.00
44	*****	CONSTRUCTION SIGNS	SQ FT	64		\$0.00
45	*****	PREMOLDED RUBBER SPEED HUMPS	EACH	3		\$0.00
46	*****	STORM SEWERS, DUCTILE IRON PIPE, 8 IN	LIN FT	0		\$0.00
47	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 8 IN	LIN FT	0		\$0.00
48	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 10 IN	LIN FT	0		\$0.00
49	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 12 IN	LIN FT	0		\$0.00
50	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 18 IN	LIN FT	378		\$0.00
51	*****	STORM SEWERS, DUCTILE IRON PIPE, 10 IN	LIN FT	161		\$0.00
52			TOTAL FO	OR 22912/#U-5-2	240 - CERMAK	\$0.00

CHICAGO DEPARTMENT OF TRANSPORTATION ('CDOT') CAPITAL PROGRAM - ALLEYS (VARIOUS LOCATIONS) - PACKAGE 4 LOCATION: W. GRAND AVE./W. DIVISION ST./N. CHRISTIANA AVE./N. SPAULDING AVE. CDOT PROJECT NO.: #U-5-240/PBC PROJECT NO.: 22913 PBC CONTRACT: C1626

				Estimated		
Line 1	Code Number	Description  EARTH EXCAVATION (SOIL TO CCDD FACILITY)	Unit CU YD	Quantity 440	Unit Price	<b>Cost</b> \$0.00
2	*****	EARTH EXCAVATION (SOIL TO LANDFILL)	CU YD	595		\$0.00
		` '				
3	*****	PAVEMENT REMOVAL	SQ YD	35		\$0.00
4	******	DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL	SQ YD	91		\$0.00
5	44000300	CURB REMOVAL	LIN FT	129		\$0.00
6	44000500	COMBINATION CURB AND GUTTER REMOVAL	LIN FT	133		\$0.00
7	44000600	SIDEWALK REMOVAL	SQ FT	349		\$0.00
8	*****	ALLEY PAVEMENT REMOVAL	SQ YD	2393		\$0.00
9	*****	GARAGE APRON REMOVAL	SQ FT	1489		\$0.00
10	*****	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	38		\$0.00
11	31101100	SUB-BASE GRANULAR MATERIAL, TYPE B	CU YD	553		\$0.00
12	20800150	TRENCH BACKFILL	CU YD	122		\$0.00
13	*****	CRUSHED STONE (TEMPORARY USE)	TON	60		\$0.00
14	35300300	PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	35		\$0.00
15	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	17		\$0.00
-	*****					
16		HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN	SQ YD	2445		\$0.00
17	******	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY RETURN PAVEMENT, 8 IN	SQ YD	0		\$0.00
18	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN	SQ FT	1489		\$0.00
19	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	349		\$0.00
20	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	0		\$0.00
21	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN	SQ FT	561		\$0.00
22	*****	PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN	SQ FT	0		\$0.00
23	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN	SQ FT	0		\$0.00
24	*****	DRILL AND GROUT DOWEL AND TIE BARS	EACH	347		\$0.00
25	40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	34		\$0.00
26	*****	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)	TON	7		\$0.00
27	40604062	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	1		\$0.00
28	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)	TON	5		\$0.00
29	60600605	CONCRETE CURB, TYPE B	LIN FT	150		\$0.00
30	******	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND	LIN FT	78		\$0.00
	*****	GUTTER, TYPE B-V.12				
31		COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12	LIN FT	55		\$0.00
32	*****	MANHOLE, 4 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
33	*****	MANHOLE, 3 FT DIAMETER, TYPE B, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	1		\$0.00
34	******	MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	1		\$0.00
35	*****	CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)	EACH	2		\$0.00
36	*****	DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED	EACH	0		\$0.00
37	*****	VORTEX RESTRICTOR	EACH	1		\$0.00

				Estimated		
Line	Code Number	Description	Unit	Quantity	Unit Price	Cost
38	*****	EXISTING SEWER TO BE REMOVED	LIN FT	318		\$0.00
39	*****	REMOVING MANHOLES	EACH	1		\$0.00
40	*****	REMOVING CATCH BASINS	EACH	1		\$0.00
41	*****	SEWER CLEANING AND TELEVISING (24 IN DIAMETER OR LESS)	LIN FT	0		\$0.00
42	*****	PULVERIZED TOPSOIL MIX	CU YD	14		\$0.00
43	*****	HYDRAULIC SEEDING, CLASS 1A	SQ YD	23		\$0.00
44	*****	CONSTRUCTION SIGNS	SQ FT	64		\$0.00
45	******	PREMOLDED RUBBER SPEED HUMPS	EACH	6		\$0.00
46	*****	STORM SEWERS, DUCTILE IRON PIPE, 8 IN	LIN FT	77		\$0.00
47	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 8 IN	LIN FT	222		\$0.00
48	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 10 IN	LIN FT	0		\$0.00
49	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 12 IN	LIN FT	0		\$0.00
50	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 18 IN	LIN FT	0		\$0.00
51	*****	STORM SEWERS, DUCTILE IRON PIPE, 10 IN	LIN FT	0		\$0.00
52			TOTAL F	OR 22913/#U-5	-240 - GRAND	\$0.00

# CHICAGO DEPARTMENT OF TRANSPORTATION ('CDOT') CAPITAL PROGRAM - ALLEYS (VARIOUS LOCATIONS) - PACKAGE 5 LOCATION: W. WELLINGTON AVE/W. GEORGE ST./N. RUTHERFORD AVE./N. NORMANDY AVE. CDOT PROJECT NO.:#U-5-240/PBC PROJECT NO.: 22914

PBC CONTRACT: C1626

				Estimated		
Line 1	Code Number	Description EARTH EXCAVATION (SOIL TO CCDD FACILITY)	Unit CU YD	Quantity 0	Unit Price	<b>Cost</b> \$0.00
2	*****	EARTH EXCAVATION (SOIL TO LANDFILL)	CU YD	470		\$0.00
3	*****	PAVEMENT REMOVAL	SQ YD	27		\$0.00
4	*****	DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL	SQ YD	184		\$0.00
5	44000300	CURB REMOVAL	LIN FT	59		\$0.00
6	44000500	COMBINATION CURB AND GUTTER REMOVAL	LIN FT	119		\$0.00
7	44000600	SIDEWALK REMOVAL	SQ FT	205		\$0.00
8	*****	ALLEY PAVEMENT REMOVAL	SQ YD	1068		\$0.00
9	*****	GARAGE APRON REMOVAL	SQ FT	2748		\$0.00
10	*****	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	0		\$0.00
11	31101100	SUB-BASE GRANULAR MATERIAL, TYPE B	CU YD	201		\$0.00
12	20800150	TRENCH BACKFILL	CU YD	0		\$0.00
13	*****	CRUSHED STONE (TEMPORARY USE)	TON	55		\$0.00
14	35300300	PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	27		\$0.00
15	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	0		\$0.00
16	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN	SQ YD	1106		\$0.00
17	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY	SQ YD	48		\$0.00
18	*****	RETURN PAVEMENT, 8 IN HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN	SQ FT	2748		\$0.00
19	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	822		\$0.00
20	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	0		\$0.00
21	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN	SQ FT	144		\$0.00
	*****					
22	*****	PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN	SQ FT	61		\$0.00
23	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN	SQ FT	54		\$0.00
24		DRILL AND GROUT DOWEL AND TIE BARS	EACH	169		\$0.00
25	40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	13		\$0.00
26	*****	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)	TON	0		\$0.00
27	40604062	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	0		\$0.00
28	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)	TON	5		\$0.00
29	60600605	CONCRETE CURB, TYPE B	LIN FT	59		\$0.00
30	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND GUTTER, TYPE B-V.12	LIN FT	56		\$0.00
31	*****	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12	LIN FT	64		\$0.00
32	*****	MANHOLE, 4 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
33	*****	MANHOLE, 3 FT DIAMETER, TYPE B, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
34	*****	MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	2		\$0.00
35	*****	CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)	EACH	2		\$0.00
36	*****	DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED	EACH	1		\$0.00
37	*****	VORTEX RESTRICTOR	EACH	2		\$0.00
38	*****	EXISTING SEWER TO BE REMOVED	LIN FT	0		\$0.00
39	*****	REMOVING MANHOLES	EACH	0		\$0.00

Line	Code Number	Description	Unit	Estimated Quantity	Unit Price	Cost
40	******	REMOVING CATCH BASINS	EACH	0		\$0.00
41	******	SEWER CLEANING AND TELEVISING (24 IN DIAMETER OR LESS)	LIN FT	441		\$0.00
42	******	PULVERIZED TOPSOIL MIX	CU YD	10		\$0.00
43	*****	HYDRAULIC SEEDING, CLASS 1A	SQ YD	18		\$0.00
44	*****	CONSTRUCTION SIGNS	SQ FT	64		\$0.00
45	*****	PREMOLDED RUBBER SPEED HUMPS	EACH	0		\$0.00
46	*****	STORM SEWERS, DUCTILE IRON PIPE, 8 IN	LIN FT	0		\$0.00
47	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 8 IN	LIN FT	0		\$0.00
48	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 10 IN	LIN FT	0		\$0.00
49	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 12 IN	LIN FT	0		\$0.00
50	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 18 IN	LIN FT	0		\$0.00
51	*****	STORM SEWERS, DUCTILE IRON PIPE, 10 IN	LIN FT	0		\$0.00
52			TOTAL FOR 229	914/#U-5-240 - '	WELLINGTON	\$0.00

CHICAGO DEPARTMENT OF TRANSPORTATION ('CDOT') CAPITAL PROGRAM - ALLEYS (VARIOUS LOCATIONS) - PACKAGE 5 LOCATION: W. GRAND AVE/W. PALMER ST./N. MULLIGAN AVE./N. MOBILE AVE. CDOT PROJECT NO.:#U-5-240/PBC PROJECT NO.: 22915 PBC CONTRACT: C1626

*******  *******  *******  44000300  44000500  44000600  ********  31101100  20800150  ********  35300300	EARTH EXCAVATION (SOIL TO CCDD FACILITY)  EARTH EXCAVATION (SOIL TO LANDFILL)  PAVEMENT REMOVAL  DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL  CURB REMOVAL  COMBINATION CURB AND GUTTER REMOVAL  SIDEWALK REMOVAL  ALLEY PAVEMENT REMOVAL  GARAGE APRON REMOVAL  HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH  SUB-BASE GRANULAR MATERIAL, TYPE B  TRENCH BACKFILL	Unit CU YD CU YD SQ YD SQ YD LIN FT LIN FT SQ FT SQ YD SQ FT SQ YD CU YD	### Stimated Quantity   346   346   35   36   350   128   159   325   1136   2037   0   278   278   328   329   32	Unit Price	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00
*******  *******  44000300  44000500  44000600  ********  31101100  20800150  ********	EARTH EXCAVATION (SOIL TO LANDFILL)  PAVEMENT REMOVAL  DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL  CURB REMOVAL  COMBINATION CURB AND GUTTER REMOVAL  SIDEWALK REMOVAL  ALLEY PAVEMENT REMOVAL  GARAGE APRON REMOVAL  HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH  SUB-BASE GRANULAR MATERIAL, TYPE B  TRENCH BACKFILL	CU YD  SQ YD  SQ YD  LIN FT  LIN FT  SQ FT  SQ YD  SQ FT  SQ YD  CU YD	35 36 350 128 159 325 1136 2037		\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00
*******  44000300  44000500  44000600  ********  31101100  20800150  ********	PAVEMENT REMOVAL  DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL  CURB REMOVAL  COMBINATION CURB AND GUTTER REMOVAL  SIDEWALK REMOVAL  ALLEY PAVEMENT REMOVAL  GARAGE APRON REMOVAL  HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH  SUB-BASE GRANULAR MATERIAL, TYPE B  TRENCH BACKFILL	SQ YD  SQ YD  LIN FT  LIN FT  SQ FT  SQ YD  SQ FT  SQ YD  CU YD	36 350 128 159 325 1136 2037		\$0.00 \$0.00 \$0.00 \$0.00 \$0.00
*******  44000300  44000500  44000600  ********  31101100  20800150  ********	DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL  CURB REMOVAL  COMBINATION CURB AND GUTTER REMOVAL  SIDEWALK REMOVAL  ALLEY PAVEMENT REMOVAL  GARAGE APRON REMOVAL  HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH  SUB-BASE GRANULAR MATERIAL, TYPE B  TRENCH BACKFILL	SQ YD  LIN FT  LIN FT  SQ FT  SQ YD  SQ FT  SQ YD  CU YD	350 128 159 325 1136 2037		\$0.00 \$0.00 \$0.00 \$0.00 \$0.00
44000300  44000500  44000600  ********  31101100  20800150  ********	CURB REMOVAL  COMBINATION CURB AND GUTTER REMOVAL  SIDEWALK REMOVAL  ALLEY PAVEMENT REMOVAL  GARAGE APRON REMOVAL  HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH  SUB-BASE GRANULAR MATERIAL, TYPE B  TRENCH BACKFILL	LIN FT  LIN FT  SQ FT  SQ YD  SQ FT  SQ YD  CU YD	128 159 325 1136 2037		\$0.00 \$0.00 \$0.00 \$0.00
44000500  44000600  *******  *******  31101100  20800150  ********	COMBINATION CURB AND GUTTER REMOVAL  SIDEWALK REMOVAL  ALLEY PAVEMENT REMOVAL  GARAGE APRON REMOVAL  HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH  SUB-BASE GRANULAR MATERIAL, TYPE B  TRENCH BACKFILL	LIN FT  SQ FT  SQ YD  SQ FT  SQ YD  CU YD	159 325 1136 2037		\$0.00 \$0.00 \$0.00
4400600  *******  *******  31101100  20800150  ********	SIDEWALK REMOVAL  ALLEY PAVEMENT REMOVAL  GARAGE APRON REMOVAL  HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH  SUB-BASE GRANULAR MATERIAL, TYPE B  TRENCH BACKFILL	SQ FT SQ YD SQ FT SQ YD CU YD	325 1136 2037 0		\$0.00 \$0.00 \$0.00
*******  *******  31101100  20800150  ********	ALLEY PAVEMENT REMOVAL  GARAGE APRON REMOVAL  HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH  SUB-BASE GRANULAR MATERIAL, TYPE B  TRENCH BACKFILL	SQ YD SQ FT SQ YD CU YD	1136 2037 0		\$0.00 \$0.00
******** 31101100 20800150 *******	GARAGE APRON REMOVAL  HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH  SUB-BASE GRANULAR MATERIAL, TYPE B  TRENCH BACKFILL	SQ FT SQ YD CU YD	2037		\$0.00
31101100 20800150	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH  SUB-BASE GRANULAR MATERIAL, TYPE B  TRENCH BACKFILL	SQ YD CU YD	0		
31101100 20800150	SUB-BASE GRANULAR MATERIAL, TYPE B  TRENCH BACKFILL	CU YD			<u></u>
20800150	TRENCH BACKFILL		278		φ0.00
******					\$0.00
		CU YD	30		\$0.00
35300300	CRUSHED STONE (TEMPORARY USE)	TON	70		\$0.00
	PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	36		\$0.00
*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	0		\$0.00
*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN	SQ YD	1196		\$0.00
*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY	SQ YD	25		\$0.00
*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN	SQ FT	2037		\$0.00
*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	550		\$0.00
*****	PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	0		\$0.00
*****	PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN	SQ FT	175		\$0.00
*****	PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN	SQ FT	150		\$0.00
*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN	SQ FT	22		\$0.00
*****	DRILL AND GROUT DOWEL AND TIE BARS	EACH	184		\$0.00
40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	17		\$0.00
*****	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)	TON	0		\$0.00
40604062	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	0		\$0.00
*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)	TON	6		\$0.00
60600605	CONCRETE CURB, TYPE B	LIN FT	128		\$0.00
*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND	LIN FT	118		\$0.00
*****	GUTTER, TYPE B-V.12  COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12	LIN FT	42		\$0.00
*****	MANHOLE, 4 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
******	MANHOLE, 3 FT DIAMETER, TYPE B, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
*****	MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	2		\$0.00
*****	CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)	EACH	0		\$0.00
*****	DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED	EACH	2		\$0.00
******	VORTEX RESTRICTOR	EACH	0		\$0.00
*****	EXISTING SEWER TO BE REMOVED	LIN FT	30		\$0.00
*****	REMOVING MANHOLES	EACH	0		\$0.00
	*******  ******  ******  *******  ******	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY RETURN PAVEMENT, 8 IN  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN  PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN  PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN  PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN  DRILL AND GROUT DOWEL AND TIE BARS  40600290  BITUMINOUS MATERIALS (TACK COAT)  HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)  HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70  HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)  60600605  CONCRETE CURB, TYPE B  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND GUTTER, TYPE B-V-12  COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V-12  MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)  MANHOLE, 3 FT DIAMETER, TYPE B, FRAME AND CLOSED LID (CITY OF CHICAGO)  MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)  DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED  VORTEX RESTRICTOR  EXISTING SEWER TO BE REMOVED	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN SQ YD  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY RETURN PAVEMENT, 8 IN  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN  SQ FT  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN  PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN  SQ FT  PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN  PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN  SQ FT  PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN  SQ FT  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN  SQ FT  DRILL AND GROUT DOWEL AND TIE BARS  EACH  40600290  BITUMINOUS MATERIALS (TACK COAT)  POUND  HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)  TON  40604062  HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70  TON  HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70  HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70  CONCRETE CURB, TYPE B  LIN FT  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND GUTTER, TYPE B-V.12  COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12  LIN FT  MANHOLE, 4 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)  EACH  MANHOLE, 3 FT DIAMETER, TYPE B, FRAME AND CLOSED LID (CITY OF CHICAGO)  EACH  CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)  EACH  CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)  EACH  CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)  EACH  VORTEX RESTRICTOR  EXISTING SEWER TO BE REMOVED  LIN FT  LIN FT	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN SQ YD 1196  HIGH EARLY STRENGTH FORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY RETURN PAVEMENT, 8 IN SQ YD 25  RETURN PAVEMENT, 8 IN SQ FT 2037  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN SQ FT 2037  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN SQ FT 550  PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN SQ FT 0  PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN SQ FT 175  PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN SQ FT 175  PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN SQ FT 150  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN SQ FT 175  PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN SQ FT 150  PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN SQ FT 22  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN SQ FT 150  PORTLAND CEMENT CONCRETE ADA CURB RAMP, 7 IN SQ FT 150  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN SQ FT 150  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN SQ FT 175  HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX 'C', N30 (CDOT) TON 0  40604062  HOT-MIX ASPHALT SURFACE COURSE, MIX 'D', N70  TON 0  40604062  HOT-MIX ASPHALT SURFACE COURSE, MIX 'D', N70  TON 6  60600605  CONCRETE CURB, TYPE B  LIN FT 128  LIN FT 128  LIN FT 128  LIN FT 128  MANHOLE, 4 FT DIAMETER, TYPE B, FRAME AND CLOSED LID (CITY OF CHICAGO) EACH 0  MANHOLE, 5 FT DIAMETER, TYPE B, FRAME AND CLOSED LID (CITY OF CHICAGO) EACH 0  MANHOLE, 5 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO) EACH 0  DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED EACH 0  DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED EACH 0  EXISTING SEWER TO BE REMOVED LIN (FT) OF CHICAGO) EACH 0  EXISTING SEWER TO BE REMOVED LIN (FT) OF CHICAGO) LIN FT 30	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN SQ YD 11986  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY RETURN PAVEMENT, 8 IN SQ FT 2037  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GRAGE APRON, 8 IN SQ FT 2037  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN SQ FT 550  PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN SQ FT 0  PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN SQ FT 175  PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN SQ FT 175  PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN SQ FT 150  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN SQ FT 150  DRILL AND GROUT DOWEL AND TIE BARS EACH 184  40600290 BITUMINOUS MATERIALS (TACK COAT) POUND 177  HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C"; N30 (CDOT) TON 0  40604062 HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70 TON 0  HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (8 FT OR LESS) TON 6  6060605 CONCRETE CURB, TYPE B  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND LIN FT 128  HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND LIN FT 128  WIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND LIN FT 142  MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO) EACH 0  MANHOLE, 3 FT DIAMETER, TYPE B, FRAME AND CLOSED LID (CITY OF CHICAGO) EACH 0  DRANAGE AND UTILITY STRUCTURES TO BE ADJUSTED EACH 2  CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO) EACH 0  DRANAGE AND UTILITY STRUCTURES TO BE ADJUSTED EACH 0  EXISTING SEWER TO BE REMOVED LIN FT 300

Line	Code Number	Description	Unit	Estimated Quantity	Unit Price	Cost
40	*****	REMOVING CATCH BASINS	EACH	0		\$0.00
41	*****	SEWER CLEANING AND TELEVISING (24 IN DIAMETER OR LESS)	LIN FT	0		\$0.00
42	*****	PULVERIZED TOPSOIL MIX	CU YD	16		\$0.00
43	*****	HYDRAULIC SEEDING, CLASS 1A	SQ YD	28		\$0.00
44	*****	CONSTRUCTION SIGNS	SQ FT	64		\$0.00
45	*****	PREMOLDED RUBBER SPEED HUMPS	EACH	4		\$0.00
46	*****	STORM SEWERS, DUCTILE IRON PIPE, 8 IN	LIN FT	0		\$0.00
47	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 8 IN	LIN FT	0		\$0.00
48	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 10 IN	LIN FT	30		\$0.00
49	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 12 IN	LIN FT	0		\$0.00
50	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 18 IN	LIN FT	0		\$0.00
51	*****	STORM SEWERS, DUCTILE IRON PIPE, 10 IN	LIN FT	0		\$0.00
52			TOTAL F	OR 22915/#U-5	-240 - GRAND	\$0.00

CHICAGO DEPARTMENT OF TRANSPORTATION ('CDOT') CAPITAL PROGRAM - ALLEYS (VARIOUS LOCATIONS) - PACKAGE 5 LOCATION: W. LeMOYNE ST./W. HIRSCH ST./N. AUSTIN BLVD./N. MASON AVE. CDOT PROJECT NO.:#U-5-240/PBC PROJECT NO.: 22916

PBC CONTRACT: C1626

				Estimated		
Line	Code Number	Description	Unit	Quantity	Unit Price	Cost
1	******	EARTH EXCAVATION (SOIL TO CCDD FACILITY)	CU YD	368		\$0.00
2	******	EARTH EXCAVATION (SOIL TO LANDFILL)	CU YD	197		\$0.00
3	*****	PAVEMENT REMOVAL	SQ YD	37		\$0.00
4	*****	DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL	SQ YD	341		\$0.00
5	44000300	CURB REMOVAL	LIN FT	93		\$0.00
6	44000500	COMBINATION CURB AND GUTTER REMOVAL	LIN FT	163		\$0.00
7	44000600	SIDEWALK REMOVAL	SQ FT	166		\$0.00
8	*****	ALLEY PAVEMENT REMOVAL	SQ YD	1063		\$0.00
9	*****	GARAGE APRON REMOVAL	SQ FT	2051		\$0.00
10	******	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	59		\$0.00
11	31101100	SUB-BASE GRANULAR MATERIAL, TYPE B	CU YD	278		\$0.00
12	20800150	TRENCH BACKFILL	CU YD	305		\$0.00
13	*****	CRUSHED STONE (TEMPORARY USE)	TON	80		\$0.00
14	35300300	PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	37		\$0.00
15	******	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	33		\$0.00
	*****					
16		HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN	SQ YD	1105		\$0.00
17	******	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY RETURN PAVEMENT, 8 IN	SQ YD	120		\$0.00
18	******	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN	SQ FT	2051		\$0.00
19	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	1501		\$0.00
20	******	PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	0		\$0.00
21	******	PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN	SQ FT	166		\$0.00
22	******	PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN	SQ FT	0		\$0.00
23	******	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN	SQ FT	116		\$0.00
24	******	DRILL AND GROUT DOWEL AND TIE BARS	EACH	186		\$0.00
25	40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	44		\$0.00
26	******	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)	TON	7		\$0.00
27	40604062	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	0		\$0.00
28	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)	TON	7		\$0.00
29	60600605	CONCRETE CURB, TYPE B	LIN FT	93		\$0.00
30	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND GUTTER, TYPE B-V.12	LIN FT	122		\$0.00
31	******	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12	LIN FT	42		\$0.00
32	******	MANHOLE, 4 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
33	******	MANHOLE, 3 FT DIAMETER, TYPE B, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
34	*****	MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	1		\$0.00
35	*****	CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)	EACH	4		\$0.00
36	******	DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED	EACH	0		\$0.00
37	******	VORTEX RESTRICTOR	EACH	1		\$0.00
38	*****	EXISTING SEWER TO BE REMOVED	LIN FT	0		\$0.00
39	*****	REMOVING MANHOLES	EACH	0		\$0.00
			-			, 3,00

Line	Code Number	Description	Unit	Estimated Quantity	Unit Price	Cost
40	*****	REMOVING CATCH BASINS	EACH	0		\$0.00
41	******	SEWER CLEANING AND TELEVISING (24 IN DIAMETER OR LESS)	LIN FT	0		\$0.00
42	******	PULVERIZED TOPSOIL MIX	CU YD	5		\$0.00
43	******	HYDRAULIC SEEDING, CLASS 1A	SQ YD	9		\$0.00
44	******	CONSTRUCTION SIGNS	SQ FT	64		\$0.00
45	******	PREMOLDED RUBBER SPEED HUMPS	EACH	0		\$0.00
46	******	STORM SEWERS, DUCTILE IRON PIPE, 8 IN	LIN FT	11		\$0.00
47	******	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 8 IN	LIN FT	464		\$0.00
48	******	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 10 IN	LIN FT	0		\$0.00
49	******	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 12 IN	LIN FT	0		\$0.00
50	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 18 IN	LIN FT	0		\$0.00
51	*****	STORM SEWERS, DUCTILE IRON PIPE, 10 IN	LIN FT	0		\$0.00
52			TOTAL FO	R 22916/#U-5-24	10 - LeMOYNE	\$0.00

CHICAGO DEPARTMENT OF TRANSPORTATION ('CDOT') CAPITAL PROGRAM - ALLEYS (VARIOUS LOCATIONS) - PACKAGE 5 LOCATION: W. THORNDALE AVE./W. ARDMORE AVE./N. MAPLEWOOD AVE./N. CAMPBELL AVE.

CDOT PROJECT NO.:#U-5-240/PBC PROJECT NO.: 22917

PBC CONTRACT: C1626

Line	Code Number	Description	Unit	Estimated Quantity	Unit Price	Cost
1	*****	EARTH EXCAVATION (SOIL TO CCDD FACILITY)	CU YD	0		\$0.00
2	*****	EARTH EXCAVATION (SOIL TO LANDFILL)	CU YD	490		\$0.00
3	*****	PAVEMENT REMOVAL	SQ YD	21		\$0.00
4	*****	DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL	SQ YD	102		\$0.00
5	44000300	CURB REMOVAL	LIN FT	94		\$0.00
6	44000500	COMBINATION CURB AND GUTTER REMOVAL	LIN FT	94		\$0.00
7	44000600	SIDEWALK REMOVAL	SQ FT	417		\$0.00
8	*****	ALLEY PAVEMENT REMOVAL	SQ YD	1061		\$0.00
9	*****	GARAGE APRON REMOVAL	SQ FT	2613		\$0.00
10	*****	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	117		\$0.00
11	31101100	SUB-BASE GRANULAR MATERIAL, TYPE B	CU YD	63		\$0.00
12	20800150	TRENCH BACKFILL	CU YD	183		\$0.00
13	*****	CRUSHED STONE (TEMPORARY USE)	TON	40		\$0.00
14	35300300	PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	21		\$0.00
15	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	22		\$0.00
16	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN	SQ YD	1107		\$0.00
17	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY	SQ YD	0		\$0.00
18	*****	RETURN PAVEMENT, 8 IN HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN	SQ FT	2613		\$0.00
19	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	495		\$0.00
20	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	0		\$0.00
21	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN	SQ FT	284		\$0.00
22	*****	PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN	SQ FT	133		\$0.00
23	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN	SQ FT	0		\$0.00
24	*****	DRILL AND GROUT DOWEL AND TIE BARS	EACH	158		\$0.00
25	40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	64		\$0.00
26	*****	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)	TON	7		\$0.00
27	40604062	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	0		\$0.00
28	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)	TON	4		\$0.00
29	60600605	CONCRETE CURB, TYPE B	LIN FT	94		\$0.00
30	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND GUTTER, TYPE B-V.12	LIN FT	58		\$0.00
31	*****	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12	LIN FT	37		\$0.00
32	*****	MANHOLE, 4 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
33	*****	MANHOLE, 3 FT DIAMETER, TYPE B, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
34	*****	MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
35	*****	CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)	EACH	2		\$0.00
36	*****	DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED	EACH	1		\$0.00
37	*****	VORTEX RESTRICTOR	EACH	1		\$0.00
38	*****	EXISTING SEWER TO BE REMOVED	LIN FT	0		\$0.00
39	*****	REMOVING MANHOLES	EACH	0		\$0.00

Line	Code Number	Description	Unit	Estimated Quantity	Unit Price	Cost
40	*****	REMOVING CATCH BASINS	EACH	0		\$0.00
41	*****	SEWER CLEANING AND TELEVISING (24 IN DIAMETER OR LESS)	LIN FT	0		\$0.00
42	*****	PULVERIZED TOPSOIL MIX	CU YD	12		\$0.00
43	*****	HYDRAULIC SEEDING, CLASS 1A	SQ YD	20		\$0.00
44	*****	CONSTRUCTION SIGNS	SQ FT	64		\$0.00
45	*****	PREMOLDED RUBBER SPEED HUMPS	EACH	0		\$0.00
46	*****	STORM SEWERS, DUCTILE IRON PIPE, 8 IN	LIN FT	23		\$0.00
47	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 8 IN	LIN FT	0		\$0.00
48	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 10 IN	LIN FT	0		\$0.00
49	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 12 IN	LIN FT	293		\$0.00
50	******	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 18 IN	LIN FT	0		\$0.00
51	******	STORM SEWERS, DUCTILE IRON PIPE, 10 IN	LIN FT	0		\$0.00
52			TOTAL FOR 22	917/#U-5-240 -	THORNDALE	\$0.00

CHICAGO DEPARTMENT OF TRANSPORTATION ('CDOT') CAPITAL PROGRAM - ALLEYS (VARIOUS LOCATIONS) - PACKAGE 5
LOCATION: W. VICTORIA ST./W. EDGEWATER AVE./N. CLARK ST./N. RIDGE AVE.
CDOT PROJECT NO.:#U-5-240/PBC PROJECT NO.: 22918

PBC CONTRACT: C1626

				Estimated		
Line 1	Code Number	Description EARTH EXCAVATION (SOIL TO CCDD FACILITY)	Unit CU YD	Quantity 0	Unit Price	<b>Cost</b> \$0.00
2	*****	EARTH EXCAVATION (SOIL TO LANDFILL)	CU YD	822		\$0.00
	*****	, ,				
3		PAVEMENT REMOVAL	SQ YD	28		\$0.00
4	*****	DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL	SQ YD	155		\$0.00
5	44000300	CURB REMOVAL	LIN FT	140		\$0.00
6	44000500	COMBINATION CURB AND GUTTER REMOVAL	LIN FT	122		\$0.00
7	44000600	SIDEWALK REMOVAL	SQ FT	585		\$0.00
8	*****	ALLEY PAVEMENT REMOVAL	SQ YD	2329		\$0.00
9	*****	GARAGE APRON REMOVAL	SQ FT	3031		\$0.00
10	*****	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	0		\$0.00
11	31101100	SUB-BASE GRANULAR MATERIAL, TYPE B	CU YD	537		\$0.00
12	20800150	TRENCH BACKFILL	CU YD	0		\$0.00
13	*****	CRUSHED STONE (TEMPORARY USE)	TON	60		\$0.00
14	35300300	PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	28		\$0.00
15	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	0		\$0.00
16	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN	SQ YD	2405		\$0.00
17	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY	SQ YD	0		\$0.00
	*****	RETURN PAVEMENT, 8 IN HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN				
18			SQ FT	3031		\$0.00
19	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	287		\$0.00
20	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	418		\$0.00
21	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN	SQ FT	350		\$0.00
22	*****	PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN	SQ FT	235		\$0.00
23	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN	SQ FT	0		\$0.00
24	*****	DRILL AND GROUT DOWEL AND TIE BARS	EACH	310		\$0.00
25	40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	13		\$0.00
26	*****	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)	TON	0		\$0.00
27	40604062	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	0		\$0.00
28	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)	TON	5		\$0.00
29	60600605	CONCRETE CURB, TYPE B	LIN FT	140		\$0.00
30	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND	LIN FT	109		\$0.00
31	*****	GUTTER, TYPE B-V.12  COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12	LIN FT	14		\$0.00
32	*****	MANHOLE, 4 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
33	*****	MANHOLE, 3 FT DIAMETER, TYPE B, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
34	*****	MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0		\$0.00
_	*****					
35		CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)	EACH	1		\$0.00
36	*****	DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED	EACH	0		\$0.00
37	*****	VORTEX RESTRICTOR	EACH	1		\$0.00
38	*****	EXISTING SEWER TO BE REMOVED	LIN FT	0		\$0.00
39	*****	REMOVING MANHOLES	EACH	0		\$0.00

Line	Code Number	Description	Unit	Estimated Quantity	Unit Price	Cost
40	*****	REMOVING CATCH BASINS	EACH	2		\$0.00
41	*****	SEWER CLEANING AND TELEVISING (24 IN DIAMETER OR LESS)	LIN FT	160		\$0.00
42	*****	PULVERIZED TOPSOIL MIX	CU YD	11		\$0.00
43	*****	HYDRAULIC SEEDING, CLASS 1A	SQ YD	20		\$0.00
44	*****	CONSTRUCTION SIGNS	SQ FT	64		\$0.00
45	*****	PREMOLDED RUBBER SPEED HUMPS	EACH	2		\$0.00
46	*****	STORM SEWERS, DUCTILE IRON PIPE, 8 IN	LIN FT	0		\$0.00
47	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 8 IN	LIN FT	0		\$0.00
48	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 10 IN	LIN FT	0		\$0.00
49	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 12 IN	LIN FT	0		\$0.00
50	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 18 IN	LIN FT	0		\$0.00
51	*****	STORM SEWERS, DUCTILE IRON PIPE, 10 IN	LIN FT	0		\$0.00
52	TOTAL FOR 22918/#U-5-240 - VICTORIA					\$0.00